

**DuPont™ Kocide® 2000 Fungicide/Bactericide**

Version 2.1

Revision Date 12/06/2010

Ref. 130000000296

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DuPont™ Kocide® 2000 Fungicide/Bactericide
Product Grade/Type : Cu 35%

Tradename/Synonym : DPX-GFJ52 35WG
Kocide WDG
Kocide WG
Kocide 53.8 DF
Kocide 53.8 WDG
B11486799
Kocide Blue Extra
Kocide 35 DF
Kocide 35 WG
Coprantol Ultramicron
K53WDG
KDOS
CuPro
Oxford 2000
Ekoram 2000
Kocide 2000 35WG

MSDS Number : 130000000296

Product Use : Fungicide

Manufacturer : DuPont
1007 Market Street
Wilmington, DE 19898

Product Information : 1-800-441-7515 (outside the U.S. 1-302-774-1000)
Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)
Transport Emergency : CHEMTREC: 1-800-424-9300 (outside the U.S. 1-703-527-3887)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview


DuPont™ Kocide® 2000 Fungicide/Bactericide

Version 2.1

Revision Date 12/06/2010

Ref. 13000000296

Warning

Causes substantial but temporary eye damage. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin, or on clothing. Avoid breathing dust.

This product is toxic to fish. This product is toxic to: Aquatic invertebrates

Potential Health Effects

This section includes potential acute adverse effects which could occur if this material is not used according to the label.

- Skin** : No adverse effects expected. There are no reports of human skin sensitization., Prolonged contact may cause:, Irritation.
- Eyes** : Risk of serious damage to eyes. Irritation with discomfort, pain, redness, or visual impairment.
- Inhalation** : May cause irritation of respiratory tract. Cough
- Ingestion** : Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Metallic taste, Gross overexposure may cause:, Kidney failure, Bloody urine, anemia, Loss of consciousness.

Carcinogenicity
 Material

IARC

NTP

OSHA

Quartz

1

X

Quartz

: DuPont has classified this material as a probable human carcinogen.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Copper Hydroxide	20427-59-2	53.8 %
Other Ingredients		46.2 %

Present as an impurity in the clay component of this product:

2 / 11

**DuPont™ Kocide® 2000 Fungicide/Bactericide**

Version 2.1

Revision Date 12/06/2010

Ref. 13000000296

Quartz		<2 %
--------	--	------

SECTION 4. FIRST AID MEASURES

- Skin contact : The material is not likely to be hazardous by skin contact, but cleansing the skin after use is advisable.
- Eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- Inhalation : Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.
- Ingestion : Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Do not give anything by mouth to an unconscious person.
- General advice : Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
For medical emergencies involving this product, call toll free 1-800-441-3637. See Label for Additional Precautions and Directions for Use.
- Notes to physician : Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5. FIRE-FIGHTING MEASURES

- Flammable Properties
- Flash point : not applicable
- Ignition temperature : 210 - 215 °C (410 - 419 °F)
- Suitable extinguishing media : Water spray, Dry chemical, Foam, Carbon dioxide (CO2)

**DuPont™ Kocide® 2000 Fungicide/Bactericide**

Version 2.1

Revision Date 12/06/2010

Ref. 13000000296

- Unsuitable extinguishing media : High volume water jet, (contamination risk)
- Firefighting Instructions : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers / tanks with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

- Safeguards (Personnel) : Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus. Use personal protective equipment.
- Spill Cleanup : Clean-up methods - large spillage Prevent further leakage or spillage. Use approved industrial vacuum cleaner for removal. Shovel into suitable container for disposal. Clean-up methods - small spillage Sweep up or vacuum up spillage and collect in suitable container for disposal.
- Accidental Release Measures : Prevent material from entering sewers, waterways, or low areas.

SECTION 7. HANDLING AND STORAGE

- Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.
- Handling (Physical Aspects) : Keep away from heat and sources of ignition.
- Storage : Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Store in original container. Store in a cool, dry place. Keep out of the reach of



DuPont™ Kocide® 2000 Fungicide/Bactericide

Version 2.1

Revision Date 12/06/2010

Ref. 130000000296

children.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls : Use only with adequate ventilation.

Personal protective equipment

Eye protection : Goggles, face shield, or safety glasses.

Skin and body protection : Mixers, loaders, applicators and other handlers must wear:
 Long sleeved shirt and long pants
 Chemical resistant gloves made of any waterproof material, such as polyvinyl chloride, nitrile rubber, or butyl rubber
 Shoes plus socks
 Protective eyewear
 PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:
 Long sleeved shirt and long pants
 Chemical resistant gloves made of any waterproof material, such as polyvinyl chloride, nitrile rubber, or butyl rubber
 Shoes plus socks
 Protective eyewear

Protective measures : Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Use this product in accordance with its label.

Exposure Guidelines

Exposure Limit Values

Copper Hydroxide
 AEL * (DUPONT) 1.0 mg/m3 8 & 12 hr. TWA as Cu

Quartz
 PEL: (OSHA) 2.4millions of particles per cubic foot of air TWA Respirable.
 Remarks The exposure limit is calculated from the equation, 250/(%SiO2+5), using a value of 100% SiO2. Lower percentages of


DuPont™ Kocide® 2000 Fungicide/Bactericide

Version 2.1

Revision Date 12/06/2010

Ref. 13000000296

SiO₂ will yield higher exposure limits.

PEL:	(OSHA)	0.1 mg/m ³ Remarks	TWA	Respirable. The exposure limit is calculated from the equation, $10/(\%SiO_2+2)$, using a value of 100% SiO ₂ . Lower percentages of SiO ₂ will yield higher exposure limits.
PEL:	(OSHA)	0.3 mg/m ³ Remarks	TWA	Total dust. The exposure limit is calculated from the equation, $30/(\%SiO_2+2)$, using a value of 100% SiO ₂ . Lower values of % SiO ₂ will give higher exposure limits.
TLV	(ACGIH)	0.025 mg/m ³	TWA	Respirable fraction.
AEL *	(DUPONT)	0.02 mg/m ³	8 hr. TWA	Respirable dust.
AEL *	(DUPONT)	0.01 mg/m ³	12 hr. TWA	

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: solid, granular
Color	: blue
Odor	: none
pH	: 8.6
Oxidizing	: The product is not oxidizing.
Density	: 1.0417 g/cm ³
Water solubility	: 0.0029 g/l

SECTION 10. STABILITY AND REACTIVITY

Stability : Stable at normal temperatures and storage conditions.


DuPont™ Kocide® 2000 Fungicide/Bactericide

Version 2.1

Revision Date 12/06/2010

Ref. 130000000296

Conditions to avoid	: Temperature > 140 °C (> 284 °F) Avoid extreme heat.
Incompatibility	: No materials to be especially mentioned.
Hazardous decomposition products	: Copper oxides

SECTION 11. TOXICOLOGICAL INFORMATION

DuPont™ Kocide® 2000 Fungicide/Bactericide

Inhalation 4 h LC50	: 1.311 mg/l , rat
Dermal LD50	: > 5,000 mg/kg , rabbit
Oral LD50	: 1,346 mg/kg , rat
Skin irritation	: No skin irritation, rabbit
Eye irritation	: Irritating to eyes., rabbit
Sensitisation	: Animal test did not cause sensitization by skin contact., guinea pig

Copper Hydroxide

Repeated dose toxicity	: The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.
------------------------	---

Oral
rat
Liver effects, Kidney effects, microcytic anemia

Information given is based on data obtained from similar substances.

Carcinogenicity	: Animal testing did not show any carcinogenic effects.
-----------------	---

Information given is based on data obtained from similar substances.

Mutagenicity	: Evidence suggests this substance does not cause genetic damage in cultured bacterial cells. Evidence suggests this substance does not cause genetic damage in animals.
--------------	---


DuPont™ Kocide® 2000 Fungicide/Bactericide

Version 2.1

Revision Date 12/06/2010

Ref. 13000000296

Reproductive toxicity : Animal testing did not show any effects on fertility.
Information given is based on data obtained from similar substances.

Teratogenicity : Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

Quartz

Repeated dose toxicity : Inhalation
Fluid retention in lungs (pulmonary oedema), lung effects,
Inflammation, Chronic lung disease, Fibrosis

SECTION 12. ECOLOGICAL INFORMATION
Aquatic Toxicity

DuPont™ Kocide® 2000 Fungicide/Bactericide

96 h LC50 : Oncorhynchus mykiss (rainbow trout) 4.79 mg/l

72 h ErC50 : Pseudokirchneriella subcapitata (green algae) 18.03 mg/l

48 h EC50 : Daphnia 1.61 mg/l

Copper Hydroxide

90 d : NOEC 0.0017 mg/l

21 d : NOEC 0.03 mg/l

Toxicity to other organisms
Copper Hydroxide

 8 d LC50 : Colinus virginianus (Bobwhite quail) > 3,400 mg/kg
Dietary

 8 d LC50 : Anas platyrhynchos (Mallard duck) > 5,000 mg/kg
Dietary

Additional ecological information : Environmental Hazards: For Terrestrial Uses: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water

**DuPont™ Kocide® 2000 Fungicide/Bactericide**

Version 2.1

Revision Date 12/06/2010

Ref. 13000000296

adjacent to treated areas. See product label for additional application instructions relating to environmental precautions.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal : Do not contaminate water, food or feed by disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal : Container Refilling and Disposal:
Refer to the product label for instructions.
Do not transport if this container is damaged or leaking.

In the event of a major spill, fire or other emergency, call 1-800-441-3637 day or night.

SECTION 14. TRANSPORT INFORMATION

IATA_C	UN number	: 3077
	Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Copper hydroxide)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9MI
IMDG	UN number	: 3077
	Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Copper hydroxide)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9
	Marine pollutant	: yes (Copper hydroxide)

Not regulated by DOT/49 CFR unless shipped in bulk package or by water.


DuPont™ Kocide® 2000 Fungicide/Bactericide

Version 2.1

Revision Date 12/06/2010

Ref. 130000000296

SECTION 15. REGULATORY INFORMATION

SARA 313 Regulated Chemical(s)	:	Copper Hydroxide
Title III hazard classification	:	Acute Health Hazard: Yes Chronic Health Hazard: No Fire: No Reactivity/Physical hazard: No Pressure: No
EPA Reg. No.	:	352-656 In the United States this product is regulated by the US Environmental Protection Agency (EPA) under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.
PA Right to Know Regulated Chemical(s)	:	Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Quartz , Limestone , Tetrasodium pyrophosphate , Disodium hydrogenorthophosphate
NJ Right to Know Regulated Chemical(s)	:	Substances on the New Jersey Workplace Hazardous Substance List present at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens or teratogens): Quartz , Tetrasodium pyrophosphate , Disodium hydrogenorthophosphate

SECTION 16. OTHER INFORMATION

		NFPA	HMIS
Health	:	2	2
Flammability	:	1	1

10 / 11



DuPont™ Kocide® 2000 Fungicide/Bactericide

Version 2.1

Revision Date 12/06/2010

Ref. 130000000296

Reactivity/Physical hazard : 0 0

™ Trademark of E.I. du Pont de Nemours and Company.

® Registered trademark of E.I. du Pont de Nemours and Company

Contact person : DuPont Crop Protection, Wilmington, DE, 19898, Phone: 1-888-638-7668

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.