

CLEARY MATERIAL SAFETY DATA SHEET

Legend™ Page 1 of 6

Please read the entire document. This Material Safety Data Sheet contains important environmental, health and toxicology information for your employees, and anyone who will use, transport, store, dispose of or handle this product. Please make sure this information is given to them. It also contains information to help you meet community right-to-know/emergency response reporting requirements under SARA Title III and many other laws. If you resell this product, this MSDS must be given to the buyer or the information contained herein must be incorporated in your MSDS.

SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Legend™ Turf and Ornamental Fungicide

1001-85 **EPA REGISTRATION NUMBER(S):** SYNONYM: None

COMPANY

Cleary Chemicals LLC 178 Ridge Road, Suite A Dayton, New Jersey 08810

EMERGENCY TELEPHONE NUMBERS

HEALTH EMERGENCY: SPILL EMERGENCY:

CHEMTREC PROSAR: 1 (800) 524-7598 1 (800) 424-9300

SECTION 2: COMPOSITION, INFORMATION ON INGREDIENTS

Active Ingredient(s)/ Hazardous Inert Ingredient(s)	CAS#	Exposure Limits*	% Weight	% Volume
Chlorothalonil	1897-45-6	TWA ^a OSHA PEL ^b : None ACGIH TLV ^c : None NIOSH REL ^d : None	54.0	720g/L

Only the identities of the active ingredient(s) and any hazardous inert ingredients are listed. Specific information on all of this product's ingredients can be obtained by the treating medical professional or spill emergency responder for the management of exposures, spills, or safety assessments.

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION: HARMFUL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN

CAUSES MODERATE EYE IRRITATION

- MAY CAUSE SKIN SENSITIZATION BY SKIN CONTACT
- AVOID CONTACT WITH EYES, SKIN OR CLOTHING
- **AVOID BREATHING SPRAY MIST**
- KEEP OUT OF REACH OF CHILDREN

continued on page 2

^{*}Source: Guide to Occupational Exposure Values 2003, compiled by ACGIH®

TWA: Time-weighted average exposure concentration for a conventional 8-hour (TLV®, PEL) or up to a 10-hour (REL) workday and a 40-hour workweek.

*OSHA PEL: U.S. Occupational Safety and Health Administration Permissible Exposure Limits.

ACGIH® TLV®: American Conference of Governmental Industrial Hygienists Threshold Limit Values. *NIOSH REL: U.S National Institute for Occupational Safety and Health Recommended Exposure Limits.

Legend™ Page 2 of 6

SECTION 3: HAZARDS IDENTIFICATION (continued from page 1)

Acute Health Hazards

Signs and Symptoms of Acute Exposure: May cause eye, respiratory system and skin irritation. May cause contact dermatitis. May cause sensitization by skin contact.

Eye: Irritating to eyes. The degree of the injury will depend on the amount and duration of the contact and the speed and thoroughness of the first aid treatment.

Skin: This product is slightly irritating to the skin. The degree of injury will depend on the amount and duration of the contact and the speed and thoroughness of the first aid treatment.

Inhalation: Irritating to the respiratory system.

Ingestion: This product is expected to be minimally toxic if ingested. The degree of injury will depend on the amount of material absorbed and the speed and thoroughness of first aid treatment.

Chronic Health Hazards (Including Cancer): Limited evidence of carcinogenic effect.

Reproductive and Developmental Toxicity: No evidence of adverse developmental effects in rabbit and rat studies.

SECTION 4: FIRST AID MEASURES

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Skin: Remove contaminated clothing and thoroughly wash the affected parts of the body with soap and water. Seek medical aid if irritation persists.

Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **Ingestion:** Call a physician or poison control center immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a doctor or poison control center. Do not give anything by mouth to an unconscious person.

Notes To Physician: Treat symptomatically. There is no specific antidote if this product is ingested. Persons suffering a temporary allergic reaction may respond to treatment with antihistamines or steroid creams and/or systemic steroids.

SECTION 5: FIRE FIGHTING MEASURES

Flammable Limits in Air (% by volume):	
Upper:	NDA
Lower:	NDA
Flash Point:	Not flammable
Method Used:	NDA
Autoignition Temperature:	NDA
LEL/UEL:	NDA
NFPA Hazard Classification:	
Health:	1
Flammability:	1
Reactivity:	NDA
Other:	NDA
Extinguishing Media:	Water spray, foam, dry chemical powder, CO2
Special Fire Fighting Procedures:	Fire fighters should wear full protective gear, including SCBA.
Hazardous Combustion Products:	May decompose at high temperatures forming toxic gases.

SECTION 6: ACCIDENTAL RELEASE MEASURES

EMERGENCY PHONE NUMBERS Exposure Calls (PROSAR): 1-866-303-6952 Spill Calls (CHEMTREC): 1-800-424-9300

Retain spilled liquids and collect with sand or other absorbent inert material. Do not wash into sewers or waterways. Use barrier to prevent runoff.

Effective Date: 12.10.08

NDA = No Data Available

NA = Not Applicable

Legend™ Page 3 of 6

SECTION 7: HANDLING AND STORAGE

Do not eat, drink or smoke when using. Wear appropriate protective clothes, adequate gloves, glasses or masks. Avoid prolonged or frequent skin contact. Wash hands thoroughly after using. Do not wash working clothes with household linen. Store under cover, away from heat and sources of fire at temperature <35°C. Keep away from food, drink, and animal feedstuffs.

SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION

Eye Protection: Wear a face screen or protective safety goggles.

Skin Protection: Wear appropriate, and if possible disposable, clothes. Wear single-use gloves of good quality. **Respiratory/Ventilation Requirements:** Wear a face mask with filter appropriate for dust and aerosol.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Light grey suspension
Odor:	Slight
Physical State:	Liquid
pH:	6.5 – 8.5
Boiling Point:	212°F
Melting Point:	NDA
Freezing Point	NDA
Vapor Pressure:	NDA
Vapor Density:	NDA
Bulk Density:	11.18 lbs/gallon
Specific Gravity:	1.34 g/ml
Evaporation Rate:	NDA
Solubility:	Miscible with water in all proportions.
Percent Solids by Weight:	NDA
Percent Volatile:	NDA
Volatile Organic Compounds:	NDA
Molecular Weight:	265.9 (technical)
Viscosity:	NDA
Partition Coefficient (octanol/water):	NDA

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability:	Stable under normal conditions of use	
Hazardous Polymerization:	This product is not known to polymerize.	
Flash Point:	NDA	
Flammable Point:	Not flammable	
Auto Ignition:	NDA	
Incompatibility With Other Materials:	Strong oxidants, strong acids, strong bases	
Decomposition Products:	May decompose at high temperatures forming toxic gases.	

SECTION 11: TOXICOLOGICAL INFORMATION

Acute: Oral Toxicity: Oral LD₅₀ (rat): >3,000 mg/kg

Dermal Toxicity: LD₅₀ rabbit: > 5,000 mg/kg

Inhalation Toxicity: LC50 rat (4 hour): > 0.704 mg/L

Eye Irritation: Moderately irritating Skin Irritation: Mildly irritating Skin Sensitization: A skin sensitizer

continued on page 4

Legend™ Page 4 of 6

SECTION 11: TOXICOLOGICAL INFORMATION (continued from page 3)

Subchronic/Chronic Toxicity:

Chlorothalonil: In dogs, 1 year administration caused a significant decrease in body weight gain and increases in absolute liver and kidney weights.

Carcinogenicity: No evidence of carcinogenicity in dogs after administration for up to one year. Treatment related increases in the incidence of renal tubular adenoma and carcinoma were observed in rats and male mice. Squamous cell adenomas and carcinomas were also observed in the forestomach of both species. The forestomach tumors seen in rodent studies are not relevant to human health, as humans do not possess an anatomical equivalent of the rodent forestomach. The relevance of renal tumors to human health is unclear, although metabolism data suggest that the dog, a species that is resistant to Chlorothalonil-induced renal injury, may be more representative of humans than the rat. IARC identifies Chlorothalonil as a 2B carcinogen (possibly carcinogenic to humans).

Mutagenic Data: NDA

Developmental Toxicity: No evidence of adverse developmental effects in rabbit and rat studies.

Reproduction: No evidence of adverse developmental effects in rabbit and rat studies.

Neurotoxicity: No evidence in regulatory studies.

SECTION 12: ECOLOGICAL INFORMATION

Environmental Summary: This pesticide is very toxic to aquatic organisms. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not clean equipment or dispose of equipment wash waters in a manner that will contaminate water resources.

Environmental Fate and Distribution:

DT₅₀ soil (field): 6 to 45 days

DT₅₀ water: 49 days at 22°C and pH 9

Aquatic Organism Toxicity (based on technical material):

Freshwater fish (guppy) LC_{50} (96 hr) = 0.115 mg/L Rainbow trout LC_{50} (96 hr) = 47 ppb LC_{50} (96 hr) = 26.3 ppb

Avian Toxicity (based upon technical material):

Japanese quail LD₅₀ = 200 mg/kg Other Non-Target Organism Toxicity (based on technical material):

Bee (Apis cerana indica) LC_{50} oral (48 hr) = 130 ppm LD_{50} contact (24 hr) = 2.40 µg/bee

SECTION 13: DISPOSAL CONSIDERATIONS

End users must dispose of any unused product as per the label recommendations and in accordance with all applicable laws and regulations. Check governmental regulations and local authorities for approved disposal of this material.

SECTION 14: TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA

Non-Bulk: Not regulated by US DOT.

Tank Truck:

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Chlorothalonil),

Marine Pollutant

Hazard Class or Division: Class 9

Packing Group: PG III
Air Transport – NAFTA
Not regulated by US DOT
B/L Freight Classification
Fungicides, NOI, O/T Poison

Comments

Water Transport – International

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Chlorothalonil),

Marine Pollutant continued on page 5

Effective Date: 12.10.08

NDA = No Data Available NA = Not Applicable

Legend™ Page 5 of 6

SECTION 14: TRANSPORT INFORMATION (continued from page 4)

Comments (continued)

Hazard Class or Division: Class 9 Identification Number: UN3082

Packing Group: PG III IMDG EMS #: F-A, S-F Air Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Chlorothalonil)

Hazard Class or Division: Class 9 Identification Number: UN3082

Packing Group: PG III

Note: Maximum inner packages 5 liters; Maximum single packages 450 liters

SECTION 15: REGULATORY INFORMATION

U.S Federal Regulations

FIFRA: (Federal Insecticide, Fungicide, and Rodenticide Act): All pesticides are governed under FIFRA. Therefore, the regulations presented below are pertinent only when handled outside of the normal use and applications of pesticides. This includes waste streams resulting from manufacturing/formulation facilities, spills or misuse of products, and storage of large quantities of products containing hazardous or extremely hazardous substances.

CERCLA (Comprehensive Response Compensation, and Liability Act): NA

EPCRA (Emergency Planning and Community Right-to-Know Act) Section 313: NA

OSHA (Occupational Safety and Health Administration): This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

SARA Title III (SUPERFUND Amendments and Reauthorization Act):

Section 302 (EHS) TPQ: None Section 304 (EHS) RQ: None

Section 311/312 CATEGORIES 1. Immediate (Acute) Health Effects; YES

Delayed (Chronic) Health Effect; YES 2.

3. Fire Hazard; NO

4. Sudden Release of Pressure Hazard; NO

5. Reactivity Hazard; NDA

TSCA (Toxic Substance Control Act): This product is exempt from TSCA Regulation under FIFRA Section 3 (2)(B)(ii) when used as a pesticide.

State Regulations: Each state may promulgate standards more stringent than the federal government. This section cannot encompass an inclusive list of all state regulations. Therefore, the user should consult state or local authorities.

International Regulations:

EEC Classification: T+: Very toxic

> N: Dangerous for the environment

Risk Phrases: Very toxic by inhalation R26:

> R36/37: Irritating to eyes and respiratory system Limited evidence of carcinogenic effects R40: R43: May cause sensitization by skin contact

Very toxic to aquatic organisms may cause long-term R50/53:

adverse effects in the environment

Keep locked up and out of the reach of children **Safety Phrases:** S1/2:

Keep only in the original container in a cool, well-ventilated place S3/9/49:

S13: Keep away from food, drink and animal feeding stuffs

S20/21: When using do not eat, drink or smoke

Do not breathe spray S23:

Avoid contact with skin and eyes S24/25:

After contact with skin, wash immediately with plenty of water S28: S29: continued on page 6

Do not empty into drains

NDA = No Data Available NA = Not Applicable Legend™ Page 6 of 6

SECTION 15: REGULATORY INFORMATION (continued from page 5)

Safety Phrases: (cont.) S36/37/39: Wear suitable protective clothing, gloves and eye/face protection

S38: In case of insufficient ventilation, wear suitable respiratory

equipment

S45: In case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible)

S46: If swallowed, seek medical advice immediately and show this

container or label

S63: In case of accident by inhalation: remove casualty to fresh air

and keep at rest

SECTION 16: OTHER INFORMATION

The information in this MSDS is based on data available to us as of the issue date given herein, and believed to be correct. Contact Cleary Chemicals, LLC at 732-329-8399 to determine if additional data and information have become available since the issue date.

Judgments as to the suitability of information herein for the individual's own uses or purposes are necessarily the individual's own responsibility. Although reasonable care has been taken in the preparation of such information, Cleary Chemicals, LLC extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to the individual's purposes or the consequences of its use.

Reason for issue:	New MSDS
Cleary MSDS Prepared by:	Pedro Perdomo
Issue date:	12/10/2008
Supersedes date:	NA

Copyright © 2009 Cleary Chemicals, LLC.